

# CSIT882 Data Management Systems

Physical vs Catalog Classes  
Object Metamodeling

Subject coordinator: Chen Chen

School of Computing and Information Technology - University of Wollongong

*Disclaimer: subject materials are sourced from previous offerings of CSIT882*

# Outline

## Physical vs Catalog Classes

- Physical Classes

- Catalog Classes

- Correctness

## Object Metamodeling

- Generic classes

- Generic associations

- Metamodel

# Basic Concepts

A **physical class** is a class whose objects are dedicated to at most one assembly

A **catalog class** is a class whose objects play a role of templates for the objects from the respective **physical class**

A **catalog class** is a description of a respective physical class

A **catalog class** is a class whose objects are reusable across multiple assemblies

# Basic Concepts

What is an identifier of a class `BOOK` ?

BOOK	
title	?
author	?
publisher	?
total-pages	?

What about the ISBN (International Standard Book Number) ?

ISBN is 10- or 13-digit number used for identification

ISBN is unique to every book, but ... .. two identical books in a library have the same ISBN !

Is really ISBN an identifier of a class `BOOK` ?


What about library catalog number also called as `call number` ?

The books listed on Amazon do not have `call number` ! Hmmm ..


A class `BOOK` is different from a class `BOOK COPY`

# Sample Physical Classes

Flights use airplanes



Flights have pilots




The classes `FLIGHT` `AIRPLANE` `PILOT` are **physical classes**

# Sample Physical Classes

Students borrow books




Students borrow books many times




The classes STUDENT BOOK BORROWING are physical classes

# Sample Catalog Classes

Flights use airplanes



Flights have pilots




The classes `FLIGHT` `AIRPLANE` `PILOT` are **catalog classes**

# Sample Catalog Classes

Students buy books



Students buy books many times



A class `BOOK` is a **catalog class**

# Physical versus Catalog Classes

## PHYSICAL CLASSES

**BOOK-COPY**

**ROOM**

**FLIGHT-INSTANCE**

**RUNNING SUBJECT**

**ASSIGNMENT**

**KEYBOARD**

## CATALOG CLASSES

BOOK

ROOM-TYPE

FLIGHT

SUBJECT

ASSIGNMENT-SPECIFICATION


KEYBOARD-BLUEPRINT

# Correctness

## Students buy books




## Students borrow books



Which one of the designs above is correct ?

# Correctness

A design below is incorrect !





A class `BOOK` is a physical class

If a class `BOOK` is physical then the copies of books with the same `ISBN` have `title` and `publisher` repeated as many times as many copies of the same book are in a library

It means that information about `title` and `publisher` is **redundant** for the books that have multiple copies

# Correctness

Students borrow copies of books



# Outline

## Physical vs Catalog Classes

- Physical Classes

- Catalog Classes

- Correctness

## Object Metamodeling

- Generic classes

- Generic associations

- Metamodel

# Generic classes

Is it possible to design a class in a conceptual schema such that it can be extended with the new attributes without changing anything in a specification of the class ?

A **generic class** of objects allows for unlimited extension of the class with the new attributes without changing anything in a specification of the class

A **generic class** of objects is a class that combines **data** and **metadata**


**Metadata** contains information about the names of attributes used in a specification of the generic class and the values of these attributes

Combination of **data** and **metadata** allows for implementation of extensible designs


# Generic classes

A **generic class** of objects is a class that combines data and metadata

**Vehicles** are described by a **registration**, **manufacturer**, and **year when manufactured**




In the future, **vehicles** will be described by more attributes



# Generic classes

A design with a **generic class** of objects



Another design (same as above )




# Generic classes

Documents consist of pages

Pages consists of paragraphs


Paragraphs consist of sentences

Sentences consists of ...



# Generic classes

Another design (same as previous )




# Generic classes

In the future, the **new classes** will be created and the classes will be described by the **new attributes**


Some of the new attributes can be **optional**

We need to keep information about the **identifiers of new classes**



# Generic classes

Another design (same as previous)



# Generic association

Is it possible to design a conceptual schema such that it can be extended by the new associations without changing anything in a specification of the schema ?

A **generic association** allows for unlimited extension of the design with the new associations without changing anything in a specification of the schema

A **generic association** is an association that combines **data** and **metadata**

**Metadata** contain information about the names of associations used in the schema, and multiplicities of the new associations


Combination of **data** and **metadata** allows for implementation of extensible designs

# Generic association

Lecturers teach students


In the future we would like to add more associations between lecturers and students

We need to store information about association name and its multiplicities



# Generic association

Another design (same as previous)



# Metamodel

Data is information about instances of objects and links between the objects

A **conceptual model** (conceptual schema) is an **abstraction of data**

**Metadata** is information about a conceptual model, like for example, the names of classes, names of attributes, identifiers, names of associations, multiplicities of associations, etc.

**Metamodel** is an abstraction of **metadata**

# References

BLAHA M., PREMERLANI W., Object-Oriented modelling and Design for Database Applications, 1998, chapter 3 & 4